

# Safety Data Sheet

## GHS7 Hazardous, Dangerous Goods

### SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

|                       |  |                          |  |
|-----------------------|--|--------------------------|--|
| Product Name:         | <b>SOLVIT CITRUS CLEAN</b>   |                          |  |
| Synonyms:             | <b>260</b>   |                          |  |
| Product Code:         | 260  |                          |  |
| SUPPLIER:             | Penrite Oil Company Pty Ltd  |                          |  |
| ADDRESS:              | <b>Australia:</b><br>110-116 Greens Road Dandenong South VIC 3175<br><b>New Zealand:</b><br>75 Lady Ruby Drive East Tamaki Auckland 2013 |                          |  |
| TELEPHONE:            | Australia: 1300 736 748;<br>New Zealand: 0800 533 698  | <b>FAX:</b>              | Australia: 1800 736 748;<br>New Zealand: 0800 533 698                      |
| EMERGENCY PHONE:      | Australia: 1300 736 748;<br>New Zealand: 0800 533 698  | <b>ABN:</b>              | 25 005 001 525   |
| Substance:            | Solvent based cleaner  | <b>Product Use:</b>      | Solvent cleaner.   |
| Creation Date:        | October 2021   | <b>Revision Date:</b>    | October 2026   |
| HSNO Approval Number: |  | <b>HSNO GROUP TITLE:</b> | Cleaning Products (Flammable)<br>Group Standard 2020.                      |
| HS CODE:              | 2710.12.90   | <b>Email:</b>            | <a href="mailto:tech@penriteoil.com">tech@penriteoil.com</a> (Aust and NZ) |
|                       | HSR002528  |                          |  |

### SECTION 2 – HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

Based on available information, this material is classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (**GHS7**) including Work, Health and Safety regulations, Australia.

**Poisons Schedule** Not scheduled.

**Dangerous Goods** Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

**GHS Classification**

- Flammable Liquids Category 2
- Skin Irritation Category 2
- Serious Eye Damage/Irritation Category 1
- Skin Sensitisation Category 1
- Acute Aquatic Toxicity - 2 /Chronic Aquatic Toxicity – 2

**HSNO Classification**

- 3.1B Flammable liquid - high hazard
- 6.3A Substances that are irritating to the skin
- 8.3A Substances that are corrosive to ocular tissue.
- 6.5B Substances that are contact sensitisers.
- 9.1B Substances that are ecotoxic in the aquatic environment.

#### GHS Pictogram



GHS07



GHS02



GHS09



GHS05

#### GHS Signal Word

**DANGER**

#### Hazard statement(s)

**H225** Highly flammable liquid and vapour.  
**H318** Causes serious eye damage.  
**H315** Causes skin irritation.

# Safety Data Sheet

## GHS7 Hazardous, Dangerous Goods

**H317** May cause an allergic skin reaction.  
**H401 / H411** Toxic to aquatic life with long-lasting effects.

### Precautionary statement(s): General

**P102** Keep out of reach of children.

**P103** Read label before use.

### Precautionary statement(s): Prevention

**P264** Wash hands and skin thoroughly after handling.

**P280** Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

**P261** Avoid breathing mist/ vapours/spray.

**P272** Contaminated work clothing should not be allowed out of the workplace.

**P210** Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

**P233** Keep container tightly closed.

**P240** Ground and bond container and receiving equipment.

**P241** Use explosion-proof [electrical/ventilating/lighting/...] equipment.

**P242** Use non-sparking tools.

**P243** Take action to prevent static discharges.

**P273** Avoid release to the environment.

### Precautionary statement(s): Response

**P305 + P351 + P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**P310** Immediately call a POISON CENTER/doctor/...

**P303+P361+P353** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

**P321** Specific treatment (use a barrier cream or skin moisturiser).

**P332+P313** If skin irritation occurs: Get medical advice/attention.

**P362 +P364** Take off contaminated clothing and wash it before reuse.

**P301+P310** IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

**P331** Do NOT induce vomiting.

**P370+P378** In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**P391** Collect spillage.

### Precautionary statement(s): Storage

**P403+P235** Store in a well-ventilated place. Keep cool.

### Precautionary statement(s): Disposal

**P501** Dispose of contents/ container in accordance with local regulations.

## SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS

| Ingredients:               | CAS Number: | Proportion:  |
|----------------------------|-------------|--------------|
| Ethanol                    | 64-17-5     | > 60% w/w    |
| p-mentha-1,8-diene         | 5989-27-5   | 10 - 30% w/w |
| C12-C15 alcohol ethoxylate | 68131-39-5  | < 10% w/w    |

NOTE: Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS).

## SECTION 4 – FIRST AID MEASURES

# Safety Data Sheet

## GHS7 Hazardous, Dangerous Goods

|                                      |   |
|--------------------------------------|---|
| <b>Scheduled Poisons</b>             | Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).   |
| <b>First Aid Facilities Required</b> | Ensure there is access to eye washes and safety showers.  |
| <b>Inhalation</b>                    | If affected, remove the patient from further exposure into fresh air, if safe to do so. If providing assistance, avoid exposure to yourself - only enter contaminated environments with adequate respiratory equipment, once environment has been assessed for flammable vapours. Once removed, lay patient down in a well-ventilated area and reassure them whilst waiting for medical assistance. If the person feels unwell and symptoms, such as dizziness or uncoordination occur, contact the Poisons Information Centre (phone Australia 131 126; New Zealand 0800 764 766) whilst waiting for medical assistance. If not breathing, provide artificial respiration and seek immediate medical assistance. If unconscious, place in a recovery position and seek immediate medical assistance. If irritation develops or persists, consult a Doctor. |
| <b>Skin contact</b>                  | Wash skin with plenty of water. Seek medical advice (e.g. doctor) if irritation, burning or redness develops. Seek medical advice (e.g. doctor).  |
| <b>Eye contact</b>                   | If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Immediately call a POISON CENTER/doctor.   |
| <b>Ingestion</b>                     | Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek urgent medical advice (e.g. doctor).  |
| <b>Advice to Doctor</b>              | Treat symptomatically. Inhalation of high vapour concentrations may cause central nervous system depression.  |

### SECTION 5 – FIRE FIGHTING MEASURES

|                                   |  |
|-----------------------------------|--|
| <b>Fire and Explosion Hazards</b> | Liquid and vapour are highly flammable.<br>Severe fire hazard when exposed to heat, flame and/or oxidisers.<br>Vapour may travel a considerable distance to source of ignition.<br>Heating may cause expansion or decomposition leading to violent rupture of containers.  |
| <b>Extinguishing Media</b>        | Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Avoid using full water jet directed at residual material that may be burning. Water may cause splattering on hot residues.   |
| <b>Fire Fighting</b>              | Alert Fire Brigade and tell them location and nature of hazard.<br>May be violently or explosively reactive.<br>Wear breathing apparatus plus protective gloves in the event of a fire.<br>Prevent, by any means available, spillage from entering drains or water course. |
| <b>Flash Point</b>                | Approximately 13 °C  |

### SECTION 6 – ACCIDENTAL RELEASE MEASURES

|                             |   |
|-----------------------------|---|
| <b>Emergency Procedures</b> | Ventilate area and extinguish and/or remove all sources of ignition. CAUTION: Vapour may form an explosive mixture with air. Never enter a spill area unless you know the vapours have dissipated to make the area safe. Stop the leak if safe to do so. CAUTION: The spilled product will be slippery. Avoid contact with the spilled material.<br>Do not allow product to enter drains, surface water, sewers or watercourses - inform local authorities if this occurs. Take precautions against static discharge. Ensure all equipment is grounded and use non-sparking tools during clean up operations. Be careful of static discharges and/or sparking during clean up. For large spills prepare a bund/barrier/dyke ahead of the spill to confine the spill and allow later recovery. |
|-----------------------------|---|

# Safety Data Sheet

## GHS7 Hazardous, Dangerous Goods

### Occupational Release

Minor spills do not normally need any special clean-up measures. Rinse with water. In the event of a major spill, prevent spillage from entering drains or water courses. Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip hazard and should be absorbed into dry, inert material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions. Residual deposits will remain slippery. Wash area down with excess water. If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.

## SECTION 7 – HANDLING AND STORAGE

### Handling

Avoid contact with the product by using appropriate protective equipment such as gloves, glasses or goggles and full-length clothing. Extinguish any potential sources of ignition before using as flammable vapours will be generated during application. Avoid breathing mists or vapours. Do not smoke when handling the material. Prevent small spills and leakage to avoid slip hazards. Properly dispose of any contaminated rags or cleaning materials in order to prevent fire hazards. Eating, drinking, and smoking should be prohibited in the area where this material is handled, stored and processed. Workers should follow good personal hygiene practices, such as washing hands before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Keep containers tightly closed when not in use. Prevent product from entering waterways, drains or sewers. There is the potential for electrostatic accumulation in the product. As a precaution, containers should always be earthed before dispensing commences.

### Storage

This product is classified as a Class 3 Flammable Liquid (Flash Point 13 °C). Store in a dry, well ventilated area away from direct sunlight, ignition sources, oxidising agents, foodstuffs and clothing. Keep containers closed when not in use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store only in original containers. It is recommended that the product is stored below 25°C.

## SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

### Control parameters

### Occupational Exposure Limits

National Occupational Exposure Limits, as published by National Occupational Health & Safety Commission:

Time-weighted Average (TWA): None established for product.

**For ingredients:**

**Ethanol: 1000ppm 1880mg/m<sup>3</sup>**

Short Term Exposure Limit (STEL): None established for product.

**For ingredients: NA**

### Control parameters

### Biological Limits

No biological limits allocated.

### PERSONAL PROTECTION PPE

# Safety Data Sheet

## GHS7 Hazardous, Dangerous Goods

### Ventilation

Use only in a well-ventilated area. Ensure ventilation is adequate to maintain air concentrations below exposure standards. Special ventilation is not normally required when using this product in normal use scenarios. However, in the operation of certain equipment, at elevated temperatures, or in confined spaces mists or vapour may be generated and local exhaust ventilation should be provided to maintain airborne concentration levels below the nominated exposure standard and at an acceptable level that does not cause irritation. PLEASE NOTE: Due to the highly flammable nature of the product, if there is a necessity to use ventilation equipment it should not be a potential source of ignition for any vapours generated.

### Personal Protective Equipment

Use good occupational work practice.  
The use of protective clothing and equipment depends upon the degree and nature of exposure. Final choice of appropriate protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken.  
The following protective equipment should be available;

### Eye Protection



The use of safety glasses with side shield protection, goggles or face shield is recommended to handle in quantity, cleaning up spills, decanting, etc. Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them.

### Skin Protection



Wear gloves. Nitrile rubber gloves are recommended. Overalls, apron, work boots and elbow length gloves are recommended for handling the concentrated product (as per AS/NZS 2161, or as recommended by supplier) to handle in quantity, cleaning up spills, decanting, etc.

### Protective Material Types

Nitrile rubber gloves are recommended.

### Respirator



If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable dust/particulate filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

|                                  |                     |                          |                     |
|----------------------------------|---------------------|--------------------------|---------------------|
| Physical State                   | Liquid              | Colour                   | Yellow              |
| Odour                            | Characteristic      | Specific Gravity         | Typically 0.83      |
| Boiling Point                    | 79 - 178 °C         | Freezing Point           | Not relevant        |
| Vapour Pressure                  | Not available       | Vapour Density           | Not available       |
| Flash Point                      | Approximately 13 °C | Flammable Limits         | Ethanol 3.5 – 24.5% |
| Water Solubility                 | Miscible with water | pH                       | Not relevant        |
| Volatile Organic Compounds (VOC) | 95 % v/v            | Coefficient of Water/Oil |                     |
| Viscosity                        | Not available       | Distribution             | Not available       |
| Evaporation Rate                 | Not available       | Odour Threshold          | Not available       |
|                                  |                     | Per Cent Volatile        | 95%                 |

## SECTION 10 – STABILITY AND REACTIVITY

**Reactivity** Stable at normal temperatures and pressure. The product does not pose any further reactivity hazards other than those listed in the following sub-sections. With its low flash

# Safety Data Sheet

## GHS7 Hazardous, Dangerous Goods

|   |  |
|---|--|
| <b>Chemical stability</b>               | point the product may form explosive mixtures with air at room temperature. Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.   |
| <b>Conditions to avoid</b>              | The product has a flash point of 13°C. Avoid ignition sources including heat and sparks. Observe the usual precautionary measures for handling chemicals. Do not heat the container or leave the container open when not in use. |
| <b>Incompatible materials</b>           | Strong oxidising agents including concentrated acids.  |
| <b>Hazardous decomposition products</b> | Product can decompose on combustion (burning) to form Carbon Monoxide, Carbon Dioxide, and other possibly toxic gases and vapours.   |
| <b>Hazardous Reactions</b>              | None known.  |

### SECTION 11 – TOXICOLOGICAL INFORMATION

#### POTENTIAL HEALTH EFFECTS

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

|                         |  |
|-------------------------|--|
| <b>Inhaled</b>          | Inhalation of vapours or mists may cause irritation to the respiratory system. Inhalation of the vapour may result in drunkenness (as per effects of swallowing). Early symptoms may occur at airborne levels of 1000 to 5000 ppm.   |
| <b>Ingestion</b>        | Can cause drunkenness or harmful central nervous system effects. The deliberate ingestion of ethanol (50-100ml) may cause inebriation such that safety is impaired. Effects of a small intake may include excitation, euphoria, headache, dizziness, drowsiness, blurred vision, and fatigue. Ingestion of a large amount may lead to severe acute intoxication, tremors, convulsion, loss of consciousness, coma, respiratory arrest and death. |
| <b>Skin Contact</b>     | Skin contact may result in irritation, redness, rash, dermatitis. Severity depends on the concentration and duration of exposure.  |
| <b>Eye</b>              | Eye contact with concentrate will cause stinging, blurring, tearing. Contact with concentrated product may cause serious eye damage.   |
| <b>Chronic exposure</b> | Long term exposure by swallowing or repeated inhalation, may cause degenerative changes in the liver, kidneys, gastrointestinal tract and heart muscle.  |

#### Toxicology Information

##### Carcinogen Status

**NOHSC** No significant ingredient is classified as carcinogenic by NOHSC.

**NTP** No significant ingredient is classified as carcinogenic by NTP.

**IARC** No significant ingredient is classified as carcinogenic by IARC.

**Respiratory sensitisation** Not expected to be a respiratory sensitizer.

**Skin Sensitisation** Classified as a category 1 skin sensitizer (D-limonene).

**Germ cell mutagenicity** Not considered to be a mutagenic hazard.

**Reproductive Toxicity** Not considered to be toxic to reproduction.

**STOT-single exposure** Not expected to cause toxicity to a specific target organ.

**STOT-repeated exposure** Not expected to cause toxicity to a specific target organ.

**Aspiration Hazard** Not expected to be an aspiration hazard.

### SECTION 12 – ECOLOGICAL INFORMATION

#### Acute Aquatic Toxicity

# Safety Data Sheet

## GHS7 Hazardous, Dangerous Goods

**Product (as sold)** Acute Aquatic Toxicity Category 2  
 H401 / H411 -Toxic to aquatic life with long-lasting effects. (LC50 >1.0 mg/L but < 10mg/L)  
 Acute Aquatic Toxicity (ATE Calculated) LC50 fish: 5.7 – 5.8 mg/L.

|                                      |   |
|--------------------------------------|---|
| <b>Chronic Aquatic Toxicity</b>      |   |
| <b>Persistence and degradability</b> | H401 / H411 -Toxic to aquatic life with long-lasting effects. Citrus Terpene is a biodegradable solvent occurring in nature as the main component of citrus peel oil. |
| <b>Bio accumulative potential</b>    | Risk of bioaccumulation for D-limonene in an aquatic species is high.   |
| <b>Mobility in soil</b>              | Not available   |
| <b>Other adverse effects</b>         | Not available   |
| <b>Environmental Protection</b>      | Do not discharge this material into waterways.  |

### SECTION 13 – DISPOSAL CONSIDERATIONS

**Product and Packaging Disposal** Dispose of contents/container to chemical landfill. Consult local or regional waste management authority for further details.

### SECTION 14 – TRANSPORT INFORMATION

**IMDG Marine Pollutant:**



yes

**CLASS:**



**Land Transport (ADG):** Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

**UN NUMBER:** 1993  
**PROPER SHIPPING NAME:** FLAMMABLE, LIQUID, N.O.S (Contains ETHANOL & D-LIMONENE).  
**PACKAGING GROUP:** II  
**HAZCHEM CODE:** •3YE  
**Special precautions for user:** Special provisions 274  
 Limited quantity 1 L

**MARINE TRANSPORT:** Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

**UN NUMBER:** 1993  
**PROPER SHIPPING NAME:** FLAMMABLE, LIQUID, N.O.S (Contains ETHANOL & D-LIMONENE).  
**PACKAGING GROUP:** II  
**HAZCHEM CODE:** •3YE  
**Special precautions for user:** EMS Number F-E , S-E  
 Special provisions 274  
 Limited Quantities 1 L

**AIR TRANSPORT:** Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.


**UN NUMBER:** 1993  
**PROPER SHIPPING NAME:** FLAMMABLE, LIQUID, N.O.S (Contains ETHANOL & D-LIMONENE).  
**PACKAGING GROUP:** II  
**HAZCHEM CODE:** •3YE

# Safety Data Sheet

## GHS7 Hazardous, Dangerous Goods

|                                      |  |
|--------------------------------------|--|
| <b>ERG Code:</b>                     | 3H   |
| <b>Special precautions for user:</b> | Special provisions A3<br>Cargo Only Packing Instructions 364<br>Cargo Only Maximum Qty / Pack 60 L<br>Passenger and Cargo Packing Instructions 353<br>Passenger and Cargo Maximum Qty / Pack 5 L<br>Passenger and Cargo Limited Quantity Packing Instructions Y341<br>Passenger and Cargo Limited Maximum Qty / Pack 1 L |

### SECTION 15 – REGULATORY INFORMATION

|  |   |
|--|---|
| <b>Montreal Protocol (Ozone depleting substances).</b>                               | Not applicable.   |
| <b>The Stockholm Convention (Persistent Organic Pollutants).</b>                     | Not applicable.   |
| <b>The Rotterdam Convention (Prior Informed Consent).</b>                            | Not applicable.   |
| <b>Basel Convention (Hazardous Waste).</b>   | Not applicable.   |
| <b>INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS (MARPOL):</b> | <br>Yes                            |
| <b>Poison Schedules:</b>   | Not scheduled.  |
| <b>AICS</b>  | All components of this product are listed on or exempt from the Australian Inventory of Chemical Substances (AICS). |
| <b>NZIoC (New Zealand Inventory of Chemicals):</b>                                   | All components of this product are listed on or exempt from the New Zealand Inventory of Chemical (NZIoC).          |
| <b>HSNO Approval Number:</b>   | HSR002528 Cleaning Products (Flammable) Group Standard 2020.  |

### SECTION 16 – OTHER INFORMATION

|                                   |  |
|-----------------------------------|--|
| <b>Issue Date:</b>                | 3 <sup>rd</sup> October 2021   |
| <b>Version Number:</b>            | V 1.0 <b>GHS7 Classification</b>   |
| <b>Prepared by:</b>               | This Safety Data Sheet has been prepared by Tuwai Specialties on behalf of its client.<br><a href="mailto:tuwai.wt@bigpond.com">tuwai.wt@bigpond.com</a>   |
| <b>Abbreviations and acronyms</b> | <b>ADG Code:</b> Australian Code for the Transport of Dangerous Goods by Road and Rail.<br><b>AICS:</b> Australian Inventory of Chemical Substances.<br><b>CAS Number:</b> Chemical Abstracts Service Registry Number.<br><b>GHS:</b> Globally Harmonized System of Classification and Labelling of Chemicals<br><b>HAZCHEM:</b> An emergency action code of numbers and letters which gives information to emergency services.<br><b>HCIS:</b> Hazardous Chemicals Information System<br><b>IARC:</b> International Agency for Research on Cancer.<br><b>NOHSC:</b> National Occupational Health and Safety Commission.<br><b>NTP:</b> National Toxicology Program (USA).<br><b>SDS:</b> Safety Data Sheet<br><b>STEL:</b> Short Term Exposure Limit. |



# Safety Data Sheet

## GHS7 Hazardous, Dangerous Goods

**SUSMP:** Standard for the Uniform Scheduling of Medicines and Poisons.

**TWA:** Time Weighted Average.

**UN Number:** United Nations Number.

### Literature references

Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice ( Safe Work Australia).

GHS Hazardous Chemical Information List (Safe Work Australia).

Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.

Global Harmonized System of Classification and Labelling of Chemicals (GHS).

“Australian Exposure Standards”. Safework Australia.

Australian Code For The Transport Of Dangerous Goods By Road And Rail.

Standard for the Uniform Scheduling of Medicines and Poisons.

Material Safety Data Sheets – individual raw materials – Suppliers.

HSIS – Hazardous Substance Information System – National Safe Work Australia Data Base.

HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.

HSNO Assigning a Product to a HSNO Approval May 2013 / Revised June 2014.

Hazardous Substances and New Organisms Act 1996 and Regulations.

Thresholds and Classifications Under the Hazardous Substances and New Organisms Act 1996 JANUARY 2012 (CONTENT AS ORIGINALLY PUBLISHED MARCH 2008) Environmental Protection Authority Te

Mana Rauhi Taiao NZ.

### Disclaimer

This MSDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.

End of SDS