

PURELL® Professional Fresh Scent Foam Soap

Version Revision Date: SDS Number: Date of last issue: -

1.0 23.04.2019 40000005692 Date of first issue: 23.04.2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PURELL® Professional Fresh Scent Foam Soap

Manufacturer or supplier's details

Company : GOJO Australasia Pty Ltd

Address : Suite 14A, Unit 1, Level 1

Lakes Business Park, 2B Lord Street

Botany, NSW 2019

Telephone : +612 9016 3885

Emergency telephone

number

: 1800 634 340

Telefax : +612 9437 5571

Recommended use of the chemical and restrictions on use

Recommended use : Skin-care

Restrictions on use : This is a personal care or cosmetic product that is safe for con-

sumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards which do not result in classification

None known.



PURELL® Professional Fresh Scent Foam Soap

Version Revision Date: SDS Number: Date of last issue: -

1.0 23.04.2019 40000005692 Date of first issue: 23.04.2019

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium Laureth Sulfate	68585-34-2	< 10
Cocamidopropyl Betaine	61789-40-0	< 10
Glycerin	56-81-5	< 10

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Get medical attention if irritation develops and persists.

In case of eye contact : Rinse thoroughly with plenty of water, also under the eyelids.

If easy to do, remove contact lens, if worn.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Rinse mouth with water. Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

None known.

Hazardous combustion prod-

ucts

Sulphur oxides Carbon oxides Metal oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.



PURELL® Professional Fresh Scent Foam Soap

Version Revision Date: SDS Number: Date of last issue: -

1.0 23.04.2019 400000005692 Date of first issue: 23.04.2019

Use water spray to cool unopened containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Ensure adequate ventilation.

Material can create slippery conditions.

Discharge into the environment must be avoided. **Environmental precautions**

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for

containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, ver-

miculite) and place in container for disposal according to local

/ national regulations (see section 13). Keep in suitable, closed containers for disposal.

Clean contaminated floors and objects thoroughly while ob-

serving environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling For personal protection see section 8.

Do not swallow.

Avoid contact with eves.

Keep container closed when not in use.

Handle in accordance with good industrial hygiene and safety Hygiene measures

practice.

Avoid contact with eyes.

Conditions for safe storage Keep in properly labelled containers.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters



PURELL® Professional Fresh Scent Foam Soap

Version Revision Date: SDS Number: Date of last issue: -

1.0 23.04.2019 40000005692 Date of first issue: 23.04.2019

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Glycerin	56-81-5	TWA (Mist)	10 mg/m3	AU OEL	
	Further information: This value is for inhalable dust containing no				
	asbestos and < 1% crystalline silica				

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Eye protection : No special protective equipment required.

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : No special protective equipment required.

Protective measures : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : clear, colourless, light yellow

Odour : Contains fragrance, like fruit

Odour Threshold : No data available

pH : 4.7 - 6.2 (20 °C)

Solidification / Setting point : -2.3 °C

Initial boiling point and boiling

range

97 °C

Flash point : $> 100 \, ^{\circ}\text{C}$

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available



PURELL® Professional Fresh Scent Foam Soap

Version Revision Date: SDS Number: Date of last issue: -

1.0 23.04.2019 40000005692 Date of first issue: 23.04.2019

Relative vapour density : No data available

Density : 1.018 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic : 10 - 20 mm2/s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Eye contact Skin contact

Acute toxicity

Not classified based on available information.

Components:

Sodium Laureth Sulfate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Cocamidopropyl Betaine:

Acute oral toxicity : LD50: > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials



PURELL® Professional Fresh Scent Foam Soap

Version Revision Date: SDS Number: Date of last issue: -

1.0 23.04.2019 40000005692 Date of first issue: 23.04.2019

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Glycerin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Assessment: Not irritating when applied to human skin.

Result: No skin irritation

Components:

Sodium Laureth Sulfate:

Result: Skin irritation

Cocamidopropyl Betaine:

Result: Skin irritation

Glycerin:

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Sodium Laureth Sulfate:

Result: Eye irritation

Remarks: Severe eye irritation

Cocamidopropyl Betaine:

Result: Eye irritation

Remarks: Severe eye irritation

Glycerin:

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.



PURELL® Professional Fresh Scent Foam Soap

Version Revision Date: SDS Number: Date of last issue: -

1.0 23.04.2019 40000005692 Date of first issue: 23.04.2019

Respiratory sensitisation

Not classified based on available information.

Components:

Cocamidopropyl Betaine:

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Cocamidopropyl Betaine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Glycerin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Glycerin:

Species: Rat

Application Route: Ingestion Exposure time: 2 Years

Result: negative

Reproductive toxicity

Not classified based on available information.



PURELL® Professional Fresh Scent Foam Soap

Version Revision Date: SDS Number: Date of last issue: -

1.0 23.04.2019 40000005692 Date of first issue: 23.04.2019

Components:

Cocamidopropyl Betaine:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

Glycerin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Cocamidopropyl Betaine:

Species: Rat

NOAEL: 250 mg/kg

Application Route: Ingestion

Exposure time: 90 d

Method: OECD Test Guideline 408

Remarks: Based on data from similar materials

Glycerin:

Species: Rat

NOAEL: 167 mg/m3 LOAEL: 660 mg/m3

Application Route: inhalation (dust/mist/fume)

Exposure time: 13 w Symptoms: Local irritation

Aspiration toxicity

Not classified based on available information.



PURELL® Professional Fresh Scent Foam Soap

Version Revision Date: SDS Number: Date of last issue: -

1.0 23.04.2019 40000005692 Date of first issue: 23.04.2019

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Cocamidopropyl Betaine:

Toxicity to fish : LC50: > 1 - 10 mg/l

Exposure time: 96 h Method: ISO 7346/2

Remarks: Based on data from similar materials

Toxicity to bacteria : EC50: > 100 mg/l

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Glycerin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to bacteria : NOEC (Pseudomonas putida): > 10,000 mg/l

Exposure time: 16 h

Persistence and degradability

Components:

Sodium Laureth Sulfate:

Biodegradability : Result: Readily biodegradable.

Cocamidopropyl Betaine:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 % Exposure time: 28 d

Method: OECD Test Guideline 301

Remarks: Based on data from similar materials

Glycerin:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 94 % Exposure time: 1 d

Bioaccumulative potential

Components:

Glycerin:



PURELL® Professional Fresh Scent Foam Soap

Version Revision Date: SDS Number: Date of last issue: -

1.0 23.04.2019 40000005692 Date of first issue: 23.04.2019

Partition coefficient: n-

octanol/water

: log Pow: -1.76

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

National Regulations

ADG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and

No poison schedule number allocated

Poisons

Prohibition/Licensing Requirements : There is no applicable prohibition or

notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory

legislation.

The components of this product are reported in the following inventories:

TSCA : On the inventory, or in compliance with the inventory



PURELL® Professional Fresh Scent Foam Soap

Version 1.0	Revision Date: 23.04.2019	_	OS Number: 0000005692	Date of last issue: - Date of first issue: 23.04.2019
AICS		:	On the inventory,	or in compliance with the inventory
DSL		:	On the inventory,	or in compliance with the inventory
ENCS		:	On the inventory,	or in compliance with the inventory
ISHL		:	On the inventory,	or in compliance with the inventory
KECI		:	On the inventory,	or in compliance with the inventory
PICCS		:	On the inventory,	or in compliance with the inventory
IECSC		:	On the inventory,	or in compliance with the inventory
NZIoC		:	On the inventory,	or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

Date format : dd.mm.yyyy



PURELL® Professional Fresh Scent Foam Soap

Version Revision Date: SDS Number: Date of last issue: -

1.0 23.04.2019 40000005692 Date of first issue: 23.04.2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN