

## DAIRY POWER DEFENDER

## Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DAIRY POWER DEFENDER

Other means of identification : Not applicable.

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.3 % - 0.3 %

Company : ECOLAB PTY LTD

2 Drake Avenue

Macquarie Park, NSW Australia 2113

1 800 022 002

Emergency telephone

number

1800 205 506, +64 7 958 2372

Issuing date : 23.10.2020

## **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

**Product AS SOLD** 

Corrosive to metals : Category 1
Skin corrosion/irritation : Category 1B
Serious eye damage/eye : Category 1

irritation

#### **Product AT USE DILUTION**

Not a hazardous substance or mixture.

# **GHS Label element**

## **Product AS SOLD**

Hazard pictograms



Signal Word : Danger

Hazard Statements : May be corrosive to metals.

Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:** 

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh

air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN

914577 1 / 11

## DAIRY POWER DEFENDER

EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

## Storage:

Store locked up. Store in corrosive resistant container with a resistant inner liner.

# Disposal:

Dispose of contents/ container to an approved waste disposal plant.

#### **Product AT USE DILUTION**

**Precautionary Statements** 

: Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

# **Product AS SOLD**

Other hazards

: Do not mix with bleach or other chlorinated products - will cause

chlorine gas.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Product AS SOLD**

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

 Phosphoric acid
 7664-38-2
 30 - 60

 Propylene glycol
 57-55-6
 5 - 10

 Isopropyl Alcohol
 67-63-0
 5 - 10

## **Product AT USE DILUTION**

No hazardous ingredients

## **Section: 4. FIRST AID MEASURES**

## **Product AS SOLD**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Contact the Poison's Information Centre (eg Australia 13 1126; New

Zealand 0800 764 766).

Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

914577 2 / 11

## DAIRY POWER DEFENDER

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed

: See Section 11 for more detailed information on health effects and

symptoms.

**Product AT USE DILUTION** 

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Contact the Poison's Information Centre (eg Australia 13 1126; New

Zealand 0800 764 766).

Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

## **Section: 5. FIREFIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during

firefighting

: Exposure to decomposition products may be a hazard to health.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides Sulphur oxides Oxides of phosphorus

Special protective equipment

for firefighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

Hazchem Code : 2R

## Section: 6. ACCIDENTAL RELEASE MEASURES

## **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is

must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

914577 3 / 11

## DAIRY POWER DEFENDER

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### **Product AT USE DILUTION**

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: No special environmental precautions required.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## Section: 7. HANDLING AND STORAGE

#### **Product AS SOLD**

Advice on safe handling

: Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

#### **Product AT USE DILUTION**

Advice on safe handling

: Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8.

Conditions for safe storage

: Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Product AS SOLD Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Phosphoric acid	7664-38-2	TWA	1 mg/m3	AU OEL
		VLE	3 mg/m3	AU OEL
Propylene glycol	57-55-6	TWA	150 ppm 474 mg/m3	AU OEL
		TWA	10 mg/m3	AU OEL
Isopropyl Alcohol	67-63-0	TWA	400 ppm 983 mg/m3	AU OEL
		VLE	500 ppm 1,230 mg/m3	AU OEL

914577 4 / 11

## DAIRY POWER DEFENDER

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type. Neoprene gloves

Nitrile

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and

maintenance of respiratory protective equipment as applicable.

When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

**Product AT USE DILUTION** 

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and

maintenance of respiratory protective equipment as applicable. No personal respiratory protective equipment normally required.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Product AS SOLD Product AT USE DILUTION

Appearance : liquid liquid

Colour : clear, brown brown

Odour : slight slight

pH : 1.0, (100 %) 4.5 - 5.5

Flash point : Not applicable., Does not sustain combustion.

Odour Threshold : no data available

914577 5 / 11

## DAIRY POWER DEFENDER

Melting point/freezing point : no data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : no data available Flammability (solid, gas) : Not applicable. Upper explosion limit : no data available Lower explosion limit : no data available Vapour pressure : no data available Relative vapour density : no data available

Relative density : 1.25 - 1.27 Water solubility : soluble

Solubility in other solvents : no data available

Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature : no data available Thermal decomposition : no data available Viscosity, kinematic : no data available Explosive properties : no data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : no data available VOC : no data available

# Section: 10. STABILITY AND REACTIVITY

**Product AS SOLD** 

Reactivity : No dangerous reaction known under conditions of normal use.

: Stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

Conditions to avoid : None known.

Incompatible materials : Metals

Organic materials

**Bases** 

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as: Carbon oxides Sulphur oxides

Oxides of phosphorus

## **Section: 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

#### **Potential Health Effects**

914577 6/11

## DAIRY POWER DEFENDER

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

: Causes digestive tract burns. Ingestion

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

: Health injuries are not known or expected under normal use. Eyes

Skin : Health injuries are not known or expected under normal use.

Ingestion Health injuries are not known or expected under normal use.

Inhalation Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

## **Experience with human exposure**

**Product AS SOLD** 

: Redness, Pain, Corrosion Eye contact

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION** 

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion No symptoms known or expected.

Inhalation : No symptoms known or expected.

## **Toxicity**

**Product AS SOLD** 

**Product** 

: Acute toxicity estimate : > 2,000 mg/kg Acute oral toxicity

Acute inhalation toxicity : no data available Acute dermal toxicity : no data available Skin corrosion/irritation : no data available Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

: no data available

: no data available Carcinogenicity

914577 7/11

## DAIRY POWER DEFENDER

Reproductive effects : no data available Germ cell mutagenicity : no data available Teratogenicity : no data available : no data available STOT - single exposure STOT - repeated exposure : no data available Aspiration toxicity : no data available

Components

Acute inhalation toxicity : Phosphoric acid

4 h LC50 rat: 0.962 mg/lTest atmosphere: dust/mist

Propylene glycol

4 h LC50 rat: > 158.5 mg/lTest atmosphere: dust/mist

Isopropyl Alcohol

4 h LC50 rat: > 30 mg/lTest atmosphere: vapour

Components

Acute dermal toxicity : Phosphoric acid

LD50 rabbit: > 2,000 mg/kg

Isopropyl Alcohol

LD50 rabbit: 12,870 mg/kg

## Section: 12. ECOLOGICAL INFORMATION

**Product AS SOLD Ecotoxicity** 

**Environmental Effects** : Harmful to aquatic life.

**Product** 

Toxicity to fish : no data available Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : Propylene glycol

96 h LC50: > 10,000 mg/l

Isopropyl Alcohol

96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l

Components

Toxicity to daphnia and other : Phosphoric acid

aquatic invertebrates

48 h EC50 Daphnia magna (Water flea): > 100 mg/l

Propylene glycol 48 h EC50: 18,340 mg/l

Isopropyl Alcohol

LC50 Daphnia magna (Water flea): > 10,000 mg/l

914577 8/11

## DAIRY POWER DEFENDER

Components

Toxicity to algae : Phosphoric acid

72 h EC50 Desmodesmus subspicatus (green algae): > 100 mg/l

Propylene glycol

96 h EC50: 19,000 mg/l

#### Persistence and degradability

**Product AS SOLD** 

Readily biodegradable.

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

## **Section: 13. DISPOSAL CONSIDERATIONS**

Product AS SOLD

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

**Product AT USE DILUTION** 

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

## **Section: 14. TRANSPORT INFORMATION**

#### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADG)

UN number : 1805

Description of the goods : PHOSPHORIC ACID, SOLUTION

Class : 8
Packing group : III
Hazchem Code : 2R

Sea transport (IMDG/IMO)

UN number : 1805

Description of the goods : PHOSPHORIC ACID SOLUTION

Class : 8

914577 9 / 11

## DAIRY POWER DEFENDER

Packing group : III
Marine pollutant : No

# Section: 15. REGULATORY INFORMATION

#### **National regulatory information**

Standard for the Uniform : Schedule 6

Scheduling of Medicines and

Poisons

## The components of this product are reported in the following inventories:

## **United States TSCA Inventory:**

not determined

# Canadian Domestic Substances List (DSL):

This product contains one or several components that are not on the Canadian DSL nor NDSL.

## Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

## New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

not determined

#### Japan. ENCS - Existing and New Chemical Substances Inventory:

not determined

## Korea. Korean Existing Chemicals Inventory (KECI):

not determined

## Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

## **China Inventory of Existing Chemical Substances:**

not determined

## **Taiwan Chemical Substance Inventory:**

not determined

## **Section: 16. OTHER INFORMATION**

Sources of key data used to compile the Safety Data Sheet

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

IARC: (International Agency for Research on Cancer)

US. National Toxicology Program (NTP) Report on Carcinogens

ECHA List of Publishable Substances Registered EU HPVCs (High Production Volume Chemicals)

Issuing date : 23.10.2020 Date of first issue : 21.09.2015

Version : 1.3

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

914577 10 / 11

# **DAIRY POWER DEFENDER**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

914577 11 / 11