



Tork Roll Towel

2187951

Think ahead.



Description

Tork Roll Towel is a versatile and absorbent hand towel suitable for light general wiping and hand drying needs.

- Universal
- Versatile
- 90 metres per roll
- Low cost, economical value roll towel
- Versatile hand towel ideal for hand drying and wiping
- Sustainable Production

Product Certifications



Tork
Universal

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322541386058	19414812879514	-
Packaging Material	Banderole	Plastic	-
Pieces	1	16 (16 CON)	-
Height	170 mm	340 mm	1,170 mm
Length	145 mm	580 mm	1,165 mm
Width	145 mm	290 mm	1,165 mm
Gross Weight	600 g	8.8 kg	245.2 kg
Net Weight	0 g	0 kg	0 kg
Volume	3.83 dm ³	61.39 dm ³	1,689.74 dm ³
Layers Per Pallet	-	-	-
TRP Per Layer	-	-	-

Environmental Information

<p>Content</p>	<p>The product is made from</p> <p>Virgin pulp</p> <p>The packaging material is made from paper or plastic.</p>
<p>Material</p>	<p>Virgin fibres</p> <p>There are different methods used today for bleaching: ECF (elementary chlorine free, where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.</p> <p>Virgin pulp fibres are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibres are separated out and lignin and other residuals are removed.</p> <p>Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.</p>
<p>Chemicals</p>	<p>All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.</p> <p>To control product performance we use additives:</p> <ul style="list-style-type: none"> • Wet strength agents (for Wipers and Hand Towels) • Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers) • For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added • For printing products printing inks (pigments with carriers and fixatives) are applied • For multi ply products we often use water soluble glue to secure the integrity of the product <p>In most of our mills we do not add optical brighteners.</p> <p>We do not use softeners for professional hygiene products.</p> <p>High product quality is secured through quality and hygiene management systems throughout production, storage and transport.</p> <p>In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:</p> <ul style="list-style-type: none"> • defoamers (surfactants and dispersing agents) • pH-control (sodium hydroxide and sulphuric acid) • retention aids (chemicals that help to agglomerate small fibres to prevent fiber loss) • Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 02-12-2020 Revision date: 17-02-2025
Production	This product is produced at mill and certified according to ISO 14001 (Environmental management systems) and AS/NZS 4801:2001.
Destruction	This product is mainly used for personal hygiene and can be collected together with household waste.

Essity Hygiene and Health AB, 405 03 GÖTEBORG, Sweden