Printed on Monday, 31 July 2018

GHS: According to 2015/830/EU

Code Number EUCOIL{ size}

Version 2 Revised 31/07/2018

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier

Product Name EUCALYPTUS OIL COMMERCIAL

Code Number ESEUCCOMM

Alternative Name

REACH Reg No Not registered

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Concentrated material for manufacturing purposes only
- 1.3 Details of the supplier of the safety data sheet

AIM Group Pty Ltd

171 Thorneside Rd. Thorneside

Qld 4168 Australia

Telephone Number Tel No. **07 3207 1033** Email Address info@aimgroup.com.au

1.4 Emergency Tel No Emergency No. 13 11 26

Section 2. HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

FL 3 Flammable liquid, category 3

SCI 2 Skin corrosion/irritation, category 2

SS 1 Skin sensitisation, category 1

EDI 2A Eye damage/irritation, category 2A
EH A3 Aquatic hazard, acute, category 3
EH C3 Aquatic hazard, chronic, category 3

GHS: According to 2015/830/EU

2.2 Label elements

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Warning

Hazard Statements

H226 Flammable liquid and vapour

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H402 Harmful to aquatic life

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignnition sources. No smoking.

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents and container in accordance with local

regulation.

2.3 Other Hazards

Contains nothing known from the allergens list which may produce an allergic reaction

No further information available at this time

GHS: According to 2015/830/EU

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 470-82-6 EINECS 207-431-5 REACH	Cineols (Eucalyptol) FL 3;ATO 5(2480);SCI 3 H226,H303,H316	10% - 30%
CAS 107-41-5 EINECS 203-489-0 REACH	2-methylpentane-2,4-diol FL 4;SCI 2;EDI 2A H227,H315,H319	10% - 30%
CAS 98-55-5 EINECS 202-680-6 REACH	Terpineol (alpha-Terpineol) FL 4;ATO 5(4300);SCI 2;EDI 2A;EH A2 H227,H303,H315,H319,H401	<10%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 5(3500);SCI 2;SS 1B;AH 1 H226,H303,H304,H315,H317	<10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in sections 2 into account

4.1 Description of first aid measures

After inhalation

Remove from the exposure area to fresh air, lay patient on back until breathing returns to normal. Contact a doctor if necessary.

After skin contact

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush with plenty of water for 15 minutes including under eyelid and seek medical advice if necessary.

GHS: According to 2015/830/EU

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further information available at this time
- 4.3 Indication of immediate medical attention and special treatment needed No further information available at this time

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

GHS: According to 2015/830/EU

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatiable material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

GHS: According to 2015/830/EU

Thermal hazards

No information

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 50

APPEARANCE Mobile liquid

COLOUR Colourless to pale yellow

ODOUR Camphoraceous, aromatic odour

ODOUR THRESHOLD

PH @20 DEG C

MELTING/FREEZING POINT

Not available

Not available

INITIAL BOILING POINT AND

RANGE

Not available

EVAPORATION RATE Not available FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available

LIMITS

VAPOUR PRESSURE Not available

VAPOUR DENSITY Not available

SPECIFIC GRAVITY @ 20 deg C 0.985 to 1.005

SOLUBILITIES Insoluble in water

PARTITION COEFF Not available

N-OCTANAL/WATER

AUTO-IGNITION TEMPERATURE

DECOMPOSITION TEMPERATURE

Not available

VISCOSITY @ 20 DEG C

EXPLOSIVE PROPERTIES

Not available

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU

OXIDISING PROPERTIES

Not available

9.2 Other information

No further information available

Section 10. Stability and reactivity

10.1 Reactivity

Not determined

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

May be harmful if swallowed.

Skin corrosion / irritation

Causes skin irritation.

Serious eye damage / irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

GHS: According to 2015/830/EU

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

 $Symptoms\ related\ to\ the\ physical,\ chemical\ and\ toxicological\ characteristics$

No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects. Avoid contaminating waterways.

12.2 Persistence and degradability

No data

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Prevent contamination of soil, ground and surface water.

12.5 Results of PBT and vPvB assessment

No data

GHS: According to 2015/830/EU

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number 1993

14.2 UN proper shipping name FLAMMABLE LIQUID, N.O.S.

14.3 Transport hazard class(es) 3

14.4 Packing group III

Tunnel Code

14.5 Environmental Hazards

No relevant information available

14.6 Special precautions for user

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

Hazchem Code: •3Y

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-E, S-E Marine Pollutant: No

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Schedule: Not applicable HS tariff code: 3302.90.00

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

GHS: According to 2015/830/EU

P337+P313

Section 16. Other information

Full list of precautionary phrases

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignnition sources. No smoking.
P241	Use explosion-proof equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305	IF IN EYES:
P333+P313	If skin irritation or rash occurs: Get medical advice.

P351 Rinse cautiously with water for several minutes.
P362+P364 Take off all contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

If eye irritation persists: Get medical attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents and container in accordance with local

regulation.

Wording of any hazard classes listed in section 3

FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU

EH A1	Aquatic hazard, acute, category 1	
EH A2	Aquatic hazard, acute, category 2	
EH C1	Aquatic hazard, chronic, category 1	
Wording of any hazard statements listed in section 3		
H226	Flammable liquid and vapour	
H227	Combustible liquid	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	