

CLOROX[®]PRO

Product Reference Guide

Clorox[®] Disinfecting Bio Stain

& Odor Remover



Always read the label

Clorox® Disinfecting Bio Stain & Odor Remover

- ▶ **Hospital-grade disinfectant cleaner that cleans, disinfects and deodorises hard, nonporous surfaces in one step**
- ▶ **Low-odour, low-residue formula kills germs including Cold & Flu viruses, Norovirus and MRSA**
- ▶ **Sanitises soft surfaces in 3 min**
- ▶ **Removes variety of tough stains and odours, including those from blood and body fluids**
- ▶ **Product is listed in the Australian TGA ARTG, ID 345233**

At a Glance Clorox® Disinfecting Bio Stain & Odor Remover	
TGA Registration No.	345233
Product Type	Ready-to-use
Cleaning Chemical Type	▶ 1-step cleaner disinfectant (hard surfaces) ▶ Soft surface sanitiser
Active Ingredient	Hydrogen Peroxide (2.2%)
pH	2.3–3.7
Odour	None
Shelf Life	2 years from the manufactured date on bottle
Toxicity Signal Word	WARNING
HMIS Rating	1-0-0-X
PPE Required	None



Clorox® Disinfecting Bio Stain & Odor Remover
946ml Pull-Top
Item No.: 31911

Disinfection Efficacy Claims

Hard Surface Disinfection	Contact Time
BACTERIA	
<i>Escherichia coli</i> (<i>E. coli</i>)	5 min
Methicillin-resistant <i>Staphylococcus aureus</i> (MRSA)	5 min
<i>Proteus mirabilis</i>	5 min
<i>Pseudomonas aeruginosa</i>	5 min
<i>Salmonella enterica</i>	5 min
<i>Staphylococcus aureus</i> (<i>S. aureus</i>)	5 min
<i>Streptococcus pyogenes</i>	5 min
Vancomycin-resistant <i>Enterococcus faecalis</i> (VRE)	5 min
VIRUSES	
Canine Distemper Virus	10 min

* Obtained via surrogate

Hard Surface Disinfection	Contact Time
VIRUSES (cont.)	
Herpes Simplex virus type 2 (HSV-2)	30 sec
Influenza A2 Virus	30 sec
Influenza A Virus (H1N1)	30 sec
Enterovirus (D68)	5 min
Norovirus	5 min
Rhinovirus (type 37)	5 min
Soft Surface Sanitisation	
BACTERIA	
<i>Staphylococcus aureus</i> (Staph)	3 min

Directions for Use

Step 1: Preparation



1. Gather supplies.



2. Wash hands with soap and water.



3. Put on PPE required by your facility¹.


1. PPE is not required for using this product, so we recommend following your facility's PPE policy.

Step 2: Application


To clean and disinfect hard, nonporous surfaces



1. Clean visible soil.



2. Squirt disinfectant 15-20cm away from surface.




3. Surface needs to stay wet for the contact time².



4. Wipe. (No rinsing required, unless it is used on food-contact surfaces.)


To clean and disinfect toilets and urinals




1. Remove visible soil.



2. Apply disinfectant to surfaces above the water line.



3. Brush thoroughly, especially under the rim.



4. Surface needs to stay wet for the contact time².



5. Flush.

2. Contact time ranges from 30 sec. to 10 min., depending on the pathogens. See the Disinfection Efficacy Claims page(s) for exact contact time.


CLOROXPRO

Directions for Use (cont.)


To sanitise soft surfaces




1. Remove visible soil.



2. Squirt disinfectant 15-20cm from surface until fabric is wet. Do not saturate.



3. Wait for 3 min.



4. Air dry (reapply if odour/stain persists).


To clean and decontaminate against bloodborne pathogens on surfaces soiled with blood and body fluids




1. Wear disposable impervious gloves, gowns, masks and eye coverings.



2. Thoroughly clean and remove blood and other body fluids from surfaces with a cleaner.



3. Squirt disinfectant 15-20cm from surface.



4. Surfaces needs to stay wet for the contact time.



5. Dispose infectious material in accordance with local regulations for infectious waste disposal.

Step 3: Wrap Up



1. Discard disposable supplies; clean and disinfect reusable tools.



2. Store products.



3. Remove PPE.



4. Wash hands with soap and water.

Common Applications




Education — Disinfect

- ▶ Nurses' Stations
- ▶ Desks
- ▶ Play structures
- ▶ Chairs



Long Term Care Facilities — Disinfect or Sanitise

- ▶ Bedpans (disinfect)
- ▶ Wheelchairs and walkers (disinfect)
- ▶ Gurneys (disinfect)
- ▶ Mattresses (sanitise)



Athletic Facilities — Disinfect

- ▶ Exercise equipment
- ▶ Training table
- ▶ Wrestling mats
- ▶ Sports gear



Restrooms — Disinfect

- ▶ Floors and partitions
- ▶ Sink fixtures
- ▶ Toilet and urinals
- ▶ Vanities



Soft Surfaces — Sanitise

- ▶ Chairs and cushions
- ▶ Clothes
- ▶ Towels
- ▶ Shoes



Stains/Soils Removal

- ▶ Bathroom soils and stains
- ▶ Sweat stains and soils
- ▶ Soap scum and bathtub ring
- ▶ Beverage and food stains

Surface Compatibility

Safe for use on many surfaces including*



Enamel



Crystal



Glazed Ceramic/Tile



Laminate



Marlite®



Naugahyde®



Plexiglas®




Sealed Fiberglass



Chrome




Metal



Formica®



Glass



Linoleum



Plastic



Porcelain /
Glazed Porcelain



Rubber



Synthetic Marble



Stainless Steel



Vinyl

Not recommended for use on aluminum, brass, chipped enamel, copper, galvanized steel, paper surfaces, porous painted surfaces, sealed and unsealed granite and marble, silver, unsealed stone, unfinished wood.

PRO TIP


If you're unsure about compatibility with a certain surface, contact the manufacturer or test it on the surface in an inconspicuous area prior to using it more widely. To prevent residue build up and further reduce the risk of potential surface damage, wipe periodically with a clean damp cloth to remove residue and excess disinfectant.

* Compatibility with equipment and surfaces will vary based on the components and material coatings. Check with the manufacturer for guidance on approved products for disinfection. Marlite® is a registered trademark of Marlite, Inc. Naugahyde® is a registered trademark of Uniroyal Engineered Products LLC Company. Formica® is a registered trademark of The Diller Corporation. Plexiglas® is a registered trademark of Arkema, Inc

Product Storage & Disposal

STORAGE

Do's



Secure bottle (container tightly closed)



Store in a dry, cool and well-ventilated place



Store at or below eye level for safety precaution

Dont's



Do not freeze



Do not store in location accessible to children



Keep out of direct sunlight

DISPOSAL

Chemical

Do's



Dispose of at an approved waste disposal facility



Contact your local environmental, health or solid waste agency for proper disposal of the chemical

Dont's



Pour it down the drain or toilet, on the ground, into storm sewers



Dispose with regular trash

Container

Do's



Recycle plastic container

Dont's



Reuse or refill plastic container with other products

CLOROXPRO[®]

Product Safety

Precaution for safe handling: Handle in accordance with good industrial hygiene and safety practice

Most important symptoms and effects: None known

First Aid:



Eye contact:

- ▶ Hold eye open and rinse gently with water for 15–20 min.
- ▶ If present, remove contact lenses after the first 5 min. of rinsing, then continue rinsing eye




Skin contact: not irritating

- ▶ Wash skin with soap and water



Inhalation:

- ▶ Move to a place with fresh air



Ingestion:

- * Clean mouth with water and drink plenty of water. Do NOT induce vomiting. Call a doctor.

If irritation or other symptoms such as breathing problem persists, call the doctor.

Physical & Chemical Hazards: The product contains no substances which at their given concentration, are considered to be hazardous to health

Listed in the ARTG: Clorox Bio Stain & Odor Remover is listed in the ARTG, AUST L 345233

SDS: Visit www.cloroxprofessional.com.au to download copy.

Product Code	Description	Ctn Qty	EAN	TUN
31911	Pull Top 976ml	6		 10044600319114
31910	Refill 3.78L	4		 10044600319107

For more information visit www.cloroxprofessional.com.au or contact us on:

Clorox Australia Pty Ltd Phone: 1800 314 767

Clorox New Zealand Ltd Phone: 0800 000280

CLOROXPRO